

New Jersey Division of HIV/AIDS Services
Persons Living with HIV/AIDS as of June 30, 2004
Plainfield Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	#	#	#	#	118	23
AIDS-CD4 Only	#	#	#	#	163	32
HIV Only	221	44	5	83	226	45
-----	-----	---	-----	---	-----	---
Total	501	100	6	100	507	100

2. Current Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Cases	%			Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	#	#	White, Not Hispanic	51	10	0	0	51	10
5-12	#	#	Black, Not Hispanic	386	77	6	100	392	77
13-19	#	#	Hispanic	54	11	0	0	54	11
20-29	41	8	Other/Unknown	10	2	0	0	10	2
30-39	105	21	-----	-----	---	-----	---	-----	---
40-49	218	43	Total	501	100	6	100	507	100
50+	133	26							
Unk.	0	0							
-----	-----	---							
Total	507	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	83	28	0	0	83	17
Injection drug user (IDU)	86	29	58	29	144	29
MSM/IDU	11	4	0	0	11	2
Heterosexual contact	34	11	81	41	115	23
Risk not reported/other***	84	28	58	29	142	29
-----	-----	---	-----	---	-----	---
Total	298	100	197	100	495	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	7	100	5	100	12	100
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	7	100	5	100	12	100

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of June 2004.

** 6 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Plainfield Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	#	(#)	#	(#)	#	(#)	#	(#)
Other OI w/o PCP	287	(37)	222	(79)	10	(91)	297	(38)
KS Alone	#	(#)	#	(#)	#	(#)	#	(#)
No Disease Listed	274	(36)	111	(41)	0	(0)	274	(35)
Total	770	(100)	495	(65)	11	(100)	781	(100)

2. Age *	Cases		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
Under 5	7	1	White, Not Hispanic	83	11	0	0	83	11
5-12	#	#	Black, Not Hispanic	628	82	10	91	638	82
13-19	#	#	Hispanic	#	#	#	#	#	#
20-29	101	13	Other/Unknown	#	#	#	#	#	#
30-39	337	43	-----	-----	-----	-----	-----	-----	-----
40-49	247	32	Total	770	100	11	100	781	100
Over 49	82	10							
Unknown	0	0							
Total	781	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	149	29	0	0	149	19
Injection drug user (IDU)	216	42	120	47	336	44
MSM/IDU	21	4	0	0	21	3
Heterosexual contact	44	9	87	34	131	17
Risk not reported/other***	83	16	50	19	133	17
Total	513	100	257	100	770	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	#	#	#	#	11	100
Risk not reported/other***	0	0	0	0	0	0
Total	#	#	#	#	11	100

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Plainfield Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	12	10	83%
1985	12	10	83%
1986	17	16	94%
1987	38	34	89%
1988	22	21	95%
1989	38	33	87%
1990	29	26	90%
1991	37	35	95%
1992	59	55	93%
1993	90	70	78%
1994	67	44	66%
1995	73	48	66%
1996	57	33	58%
1997	46	15	33%
1998	27	7	26%
1999	39	15	38%
2000	28	8	29%
2001	46	13	28%
2002	20	#	#
2003	17	#	#
2004	7	0	0%
-----	-----	-----	-----
Total	781	500	64%

New Jersey Division of HIV/AIDS Services
HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2004
Plainfield Residents

1. Age *	Cases		2. Race/Ethnicity	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	#	#	White, Not Hispanic	21	8	0	0	21	8
5-12	#	#	Black, Not Hispanic	201	79	6	100	207	80
13-19	6	2	Hispanic	23	9	0	0	23	9
20-29	48	19	Other/Unknown	8	3	0	0	8	3
30-39	97	37	-----	-----	---	-----	---	-----	---
40-49	68	26	Total	253	100	6	100	259	100
Over 49	34	13							
Unknown	0	0							
-----	-----	---							
Total	259	100							

3. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	35	23	0	0	35	14
Injection drug user (IDU)	45	30	24	23	69	27
MSM/IDU	5	3	0	0	5	2
Heterosexual contact	13	9	47	46	60	24
Risk not reported/other***	52	35	32	31	84	33
-----	-----	---	-----	---	-----	---
Total	150	100	103	100	253	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	6	100
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	6	100

* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.

indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of June 30, 2004
Plainfield Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
AIDS-Any OI	496	48	11	65	507	49
AIDS-CD4 Only	274	27	0	0	274	26
HIV Only	253	25	6	35	259	25
Total	1023	100	17	100	1040	100

2. Age *	Cases	%	3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
				Cases	%	Cases	%	Cases	%
Under 5	12	1	White, Not Hispanic	104	10	0	0	104	10
5-12	5	0	Black, Not Hispanic	829	81	16	94	845	81
13-19	13	1	Hispanic	#	#	#	#	79	8
20-29	174	17	Other/Unknown	#	#	#	#	12	1
30-39	456	44							
40-49	281	27	Total	1023	100	17	100	1040	100
Over 49	99	10							
Unknown	0	0							
Total	1040	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	184	28	0	0	184	18
Injection drug user (IDU)	261	39	144	40	405	40
MSM/IDU	26	4	0	0	26	3
Heterosexual contact	57	9	134	37	191	19
Risk not reported/other***	135	20	82	23	217	21
Total	663	100	360	100	1023	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	7	100	10	100	17	100
Risk not reported/other***	0	0	0	0	0	0
Total	7	100	10	100	17	100

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification at time of first HIV+/AIDS diagnosis.

** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
HIV/AIDS Cases Reported as of June 30, 2004
Plainfield Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Number of Cases	Number Known Dead	Case-Fatality Rate
-----	-----	-----	-----
Before 1985	16	12	75%
1985	18	14	78%
1986	23	20	87%
1987	50	45	90%
1988	36	30	83%
1989	58	46	79%
1990	61	49	80%
1991	70	53	76%
1992	94	54	57%
1993	89	49	55%
1994	74	38	51%
1995	76	36	47%
1996	68	26	38%
1997	55	13	24%
1998	52	15	29%
1999	42	8	19%
2000	34	6	18%
2001	58	16	28%
2002	28	#	#
2003	24	#	#
2004	14	0	0%
-----	-----	-----	-----
Total	1040	533	51%